


**Amendments to Claims**

1. (Canceled)
2. (Canceled)
3. (Canceled)
4. (Canceled)
5. (Canceled)
6. (Canceled)
7. (Canceled)
8. (Canceled)
9. (Canceled)
10. (Canceled)
11. (Original)
12. (Original)
13. (Original)
14. (Canceled)
15. (Canceled)
16. (Canceled)
17. (Canceled)
18. (Canceled)

19. (Currently Amended) A compound ~~selected from compounds 2-a through 2-aa as shown in Table 2,~~ having structure (II) below:



and selected from compounds 2-a through 2-aa, wherein:

<u>Compound</u>	<u>A</u>	<u>R<sub>1</sub></u>	<u>R<sub>2</sub></u>	<u>R<sub>3</sub></u>	<u>R<sub>4</sub></u>	<u>R<sub>5</sub></u>	<u>R<sub>6</sub></u>	<u>R<sub>7</sub></u>	<u>R<sub>8</sub></u>	<u>R<sub>9</sub></u>
<u>2-a</u>	<u>C</u>	<u>H</u>	<u>H</u>	<u>CF<sub>3</sub></u>	<u>H</u>	<u>F</u>	<u>H</u>	<u>H</u>	<u>H</u>	<u>H</u>
<u>2-b</u>	<u>C</u>	<u>H</u>	<u>H</u>	<u>CF<sub>3</sub></u>	<u>H</u>	<u>H</u>	<u>CF<sub>3</sub></u>	<u>H</u>	<u>H</u>	<u>H</u>
<u>2-c</u>	<u>C</u>	<u>H</u>	<u>H</u>	<u>NO<sub>2</sub></u>	<u>H</u>	<u>H</u>	<u>CF<sub>3</sub></u>	<u>H</u>	<u>H</u>	<u>H</u>
<u>2-d</u>	<u>C</u>	<u>H</u>	<u>H</u>	<u>CF<sub>3</sub></u>	<u>H</u>	<u>H</u>	<u>F</u>	<u>H</u>	<u>H</u>	<u>H</u>
<u>2-e</u>	<u>C</u>	<u>H</u>	<u>H</u>	<u>CF<sub>3</sub></u>	<u>H</u>	<u>H</u>	<u>H</u>	<u>CH<sub>3</sub>O</u>	<u>H</u>	<u>H</u>
<u>2-f</u>	<u>C</u>	<u>Cl</u>	<u>H</u>	<u>CF<sub>3</sub></u>	<u>H</u>	<u>H</u>	<u>H</u>	<u>H</u>	<u>H</u>	<u>H</u>
<u>2-g</u>	<u>C</u>	<u>H</u>	<u>H</u>	<u>H</u>	<u>CH<sub>3</sub></u>	<u>H</u>	<u>H</u>	<u>F</u>	<u>H</u>	<u>H</u>

Compound	A	R <sub>1</sub>	R <sub>2</sub>	R <sub>3</sub>	R <sub>4</sub>	R <sub>5</sub>	R <sub>6</sub>	R <sub>7</sub>	R <sub>8</sub>	R <sub>9</sub>
2-h	N	=	H	H	H	H	H	F	H	H
2-i	C	H	H	CF <sub>3</sub>	H	H	H	CF <sub>3</sub> O	H	H
2-j	N	=	CF <sub>3</sub>	H	H	F	H	H	H	H
2-k	C	H	H	CF <sub>3</sub>	H	H	H	F	H	H
2-l	C	CF <sub>3</sub>	H	H	H	H	H	H	H	H
2-m	C	Cl	H	CF <sub>3</sub>	H	H	H	F	H	H
2-n	C	CF <sub>3</sub>	H	H	H	H	H	F	H	H
2-o	C	CF <sub>3</sub>	H	H	H	H	H	CH <sub>3</sub> O	H	H
2-p	C	Cl	H	CF <sub>3</sub>	H	H	H	CH <sub>3</sub> O	H	H
2-q	N	=	CF <sub>3</sub>	H	H	H	H	F	H	H
2-r	C	Cl	H	CF <sub>3</sub>	H	H	H	H	H	F
2-s	C	H	H	CF <sub>3</sub>	H	H	H	H	H	H
2-t	C	Cl	H	H	H	F	H	H	H	H
2-v	C	H	H	CF <sub>3</sub>	H	H	CH <sub>3</sub> O	H	H	H
2-w	C	H	CH <sub>3</sub> O	H	H	H	H	CF <sub>3</sub>	H	H
2-x	C	H	H	H	H	H	F	F	H	H
2-y	C	H	H	CF <sub>3</sub>	H	H	F	H	F	H
2-z	C	H	H	CF <sub>3</sub>	H	F	H	F	H	H
2-aa	C	H	H	Br	H	H	H	Br	H	H


wherein: — R<sub>9</sub> is H;

— adjacent pairs of R<sub>1</sub>-R<sub>4</sub> and R<sub>5</sub>-R<sub>8</sub> can be joined to form a five- or six-membered ring;

at least one of R<sub>1</sub>-R<sub>8</sub> is selected from F, C<sub>n</sub>F<sub>2n+1</sub>, OC<sub>n</sub>F<sub>2n+1</sub>, and OCF<sub>2</sub>X, where n = 1-6 and X = H, Cl, or Br, and

A = C or N, provided that when A = N, there is no R<sub>1</sub>.

20. (Currently Cancelled) A compound having structure (III) below:



wherein R<sub>17</sub> = CF<sub>3</sub> and R<sub>10</sub>-R<sub>16</sub> and R<sub>18</sub>-R<sub>20</sub> = H.

21. (Canceled)

22. (Canceled)